Drexel™
MILLWORK & DOORS

2024
DOOR AND GLASS CATALOG


Monterey

Vilano


Waterside


Rain

CONTENTS

DOORS

FIBERGLASS

Satin Smooth Flush Glazed 04
Flush Glazed Stylized 08
Flush Glazed Blinds 13

STEEL

Taylor Steel Doors 14

DOORGLASS

STYLIZED

Decorative 16
Lightscapes 26
Perspectives 28

CLASSIC

Clear 34
External Grilles 37
Grilles Between Glass 38
Enclosed Blinds 42
Vents 43

RESOURCES

Doorglass Frames 44

Frontline Building Products 46

Pano Lock+ 50

FIBERGLASS DOORS

Never compromise durability for beauty. Good news is, we do both. We build our doors with composite, engineered lumber, which holds up against the elements for strength and longevity, and our foam core offers superior energy efficiency. Our attention to quality is reflected in our 20 plus years of manufacturing in North America. Our Flush Glazed doors offer Shaker and Estate panel designs or opt for full view doorglass.



SATIN SMOOTH

The Satin Smooth finish features a unique fine brush stroke surface that's ideal for finishing applications. You can be sure to find any door in this dependable texture.

SATIN SMOOTH FLUSH GLAZED

CLEAR LOW-E 366

6'8" DOORS

HS-101 | HS-101WBL HS-101SBL (Blinds) | HS-221F | HS-241F | HS-241 (Raised Panel) | HS-211P | HS-311F | HSSL-101 | HSSL-241F | HSSL-211F | HSSL-241 (Raised Panel)

SATIN SMOOTH FLUSH GLAZED

SIMULATED DIVIDED LIGHT • CLEAR LOW-E 366

6'8" DOORS



HS-101 S03C | HS-101 S04C | HS-101 S04 | HS-101 S06 | HS-101 S08 | HS-101 S10 | HS-101 S15 | HS-101 S03W



HS-101 S04W | HS-101 S05W | HS-221F S04 | HS-221F S06 | HS-221F S09 | HS-241F S04 | HS-241F S06 | HS-241F S08

SATIN SMOOTH FLUSH GLAZED

SIMULATED DIVIDED LIGHT • CLEAR LOW-E 366

6'8" DOORS



HS-241F S12 | HS-241F S03C | HS-241F S04C | HS-241F S02W | HS-241F S03W | HS-241 S04 | HS-241 S06 | HS-241 S08



HS-241 S12 | HS-241 S03C | HS-241 S04C | HS-241 S02W | HS-241 S03W | HS-211P S02 | HS-211P S04 | HS-211P S03 | HS-211P S06



HS-311F S02 | HS-311F S04 | HS-311F S03 | HS-311F S06 | HSSL-211F S02 | HSSL-101 S02C | HSSL-101 S02 | HSSL-101 S03 | HSSL-101 S04 | HSSL-101 S05 | HSSL-101 S03W | HSSL-101 S04W | HSSL-101 S05W



HSSL-241F S02 | HSSL-241F S03 | HSSL-241F S04 | HSSL-241F S02C | HSSL-241F S02W | HSSL-241F S03W | HSSL-241 S02 | HSSL-241 S03 | HSSL-241 S04 | HSSL-241 S02C | HSSL-241 S02W | HSSL-241 S03W

FIBERGLASS DOORS

SATIN SMOOTH FLUSH GLAZED

CLEAR LOW-E 366

8'0" DOORS



HS-101 | HS-241 (Raised Panel) | HS-311F

SATIN SMOOTH FLUSH GLAZED

SIMULATED DIVIDED LIGHT • CLEAR LOW-E 366

8'0" DOORS



HS-101 S03C | HS-101 S04C | HS-101 S04 | HS-101 S06 | HS-101 S08 | HS-101 S12 | HS-101 S18



HS-101 S03W | HS-101 S04W | HS-101 S05W | HS-101 S06W

SATIN SMOOTH FLUSH GLAZED

SIMULATED DIVIDED LIGHT • CLEAR LOW-E 366

8'0" DOORS



HS-241 S04 | HS-241 S06 | HS-241 S08 | HS-241 S12 | HS-241 S02W | HS-241 S03W | HS-241 S03C | HS-241 S04C



HS-311F S02 | HS-311F S03 | HS-311F S04 | HS-311F S06 | HSSL-101 | HSSL-241 | HSSL-211F | HSSL-211F S02 | HSSL-101 S02 | HSSL-101 S03 | HSSL-101 S04



HSSL-101 S06 | HSSL-101 S02W | HSSL-101 S03W | HSSL-101 S04W | HSSL-101 S05W | HSSL-101 S06W | HSSL-241 S02 | HSSL-241 S03 | HSSL-241 S04 | HSSL-241 S02W | HSSL-241 S03W | HSSL-241 S02C

FIBERGLASS DOORS

FLUSH GLAZED
STYLIZED

BERKLEY


HS-246F


HSSL-246F


HS-226F


HS-316F
HR-316F


HS-216P


HSSL-216F

DORIAN


HS-108


HSSL-108


HS-248F

HSSL-248F


HS-228F


HS-108


HSSL-108

MONTEREY


HS-107


HSSL-107


HS-247F


HSSL-247F


HS-227F

See page 21 for close-up details.

WATERSIDE


HS-109


HS-109

See page 27 for close-up details.

FIBERGLASS DOORS

FLUSH GLAZED

BLANCA LOW-E 366

6'8" DOORS



HS-102 HSSL-102 HS-242F HSSL-242F HSSL-242 HS-222F HS-312F HSSL-212F

8'0" DOORS



HS-102 HSSL-102 HS-242 HSSL-242

FIBERGLASS DOORS

* Available in both Shaker and Estate Edge Embossment

FLUSH GLAZED

RAIN LOW-E 366



6'8" DOORS



HS-103 | HSSL-103 | HS-243F | HSSL-243F | HS-243 | HSSL-243 | HS-223F | HS-313F | HSSL-213F

8'0" DOORS



HS-103 | HSSL-103 | HS-243 | HSSL-243 | HS-313F | HSSL-213F

FIBERGLASS DOORS

* Available in both Shaker and Estate Edge Embossment

FLUSH GLAZED

MICRO-GRANITE LOW-E 366

6'8" DOORS



HS-105 | HSSL-105 | HS-245F | HSSL-245F | HS-245 | HSSL-245 | HS-225F | HS-315F | HSSL-215F

8'0" DOORS



HS-105 | HSSL-105 | HS-245 | HSSL-245 | HS-315F | HSSL-215F

FIBERGLASS DOORS

* Available in both Shaker and Estate Edge Embossment

FLUSH GLAZED

VAPOR LOW-E 366



6'8" DOORS



HS-104 | HSSL-104 | HS-244F | HSSL-244F | HS-244 | HSSL-244 | HS-224F | HS-314F | HSSL-214F

8'0" DOORS



HS-104 | HSSL-104 | HS-244 | HSSL-244 | HS-314F | HSSL-214F

FIBERGLASS DOORS

* Available in both Shaker and Estate Edge Embossment

FLUSH GLAZED
BLINDS LOW-E 366

White Blinds

Slate Gray Blinds

HS 101WBL 101SBL | HS 241F-WBL | HS 241WBL | HS 221F-WBL 221F-SBL | HS 101WBL 101SBL | HS 241WBL 241SBL

Slate Gray SBL
White WBL

FIBERGLASS DOORS

TAYLOR STEEL DOORS

Quality entrance systems start with quality components. Our steel door collections are made-to-order and built by talented craftspeople in West Branch, Michigan. We source American-made steel, guaranteeing quality and performance for years to come.

POLYURETHANE FOAM CORE

Polyurethane foam enhances sound proofing and has insulation properties that are at least four times greater than wood doors. The foam also acts as a bonding agent, locking all internal components in place for enhanced durability.



FULL STEEL-EDGE PERIMETER

Our steel-edge doors receive the highest rating possible in the industry's toughest forced entry test. A door must withstand the force beyond seven hits from a 100 pound test weight to achieve a Grade 40 rating.

REINFORCED LOCK BLOCK AREA

Steel doors are constructed with a composite lock block to provide secure mounting of door hardware and better structural integrity. The reinforced lock area offers more screw-holding power than wood.

FIXED HINGE PREP

The fixed hinge prep is standard on Taylor doors, featuring a 4" surface mount hinge prep with a sturdy fixed hinge reinforcement plate. This straightforward design ensures ease of installation and long-term performance.

PANEL DOOR STYLES

6'8" DOORS

1
SE
HS
HR

22
SE
HS
HR

22CT
SE
HS

22CTP
SE
HS

21P
SE

24
SE
HS
HR

60
SE
HS
HR

11F
SE
HS
HR

22F
SE
HS

31F
SE
HS
HR

33F
SE

8'0" DOORS

1
SE
HS
HR

22
SE
HS
HR

60
SE
HS
HR

11F
SE
HS
HR

22F
SE

SE
Steel Edge
Steel Doors

HS
Harbor
Satin Smooth
Fiberglass

HR
Harbor Rift
Cut Textured
Fiberglass

STYLIZED DOORGLASS

MICRO-GRANITE 30

HEIRLOOMS 18

CHINCHILLA 29



CADENCE 17

BLANCA 27

RAIN 31

PARIS 22



OAK PARK 21

NOUVEAU 20



MONTEREY 19

WATERSIDE 25



VILANO 24

VAPOR 34

TOPAZ 23

CADENCE



PRIVACY RATING

NONE | LOW | **MED** | HIGH | MAX

1. Clear Bevels
2. Ripple Glass
3. Hammered Glass
4. Patina Caming

6'8" DOORS

607CD-1
SE, HS, HR

607CD-2
HS



686CD-X
SE, HS, HR

422
CD-1
SL
HSSL
HRSL

690
CD-X
SL
HSSL
HRSL

8'0" DOORS

607CD-1
SE, HS, HR

607CD-2
SE, HS, HR



686CD-1
HS, HR



612CD-X
SE, HS, HR

422
CD-1
HSSL
HRSL

690
CD-1
SL
HSSL
HRSL

493
CD-X
SL
HSSL
HRSL

HEIRLOOMS



PRIVACY RATING

NONE | LOW | **MED** | HIGH | MAX

1. Granite Glass
2. Glue Chip Glass
3. Clear Bevels
4. Brass Caming
5. Satin Nickel Caming

6'8" DOORS

684HM-1 SE, HS, HR | 684HM-1P SE, HS | 684HM-2 SE, HS, HR | 684HM-1F SE | 692HM-2 SE, HS, HR | 607HM-1 SE, HS, HR | 607HM-2 HS | 686HM-X SE, HS, HR | 692 HM-1 SL HSSL HRSL | 422 HM-1 SL HSSL HRSL | 690 HM-X SL HSSL HRSL

8'0" DOORS

607HM-1 SE, HS, HR | 607HM-2 SE, HS, HR | 686HM-1 HS, HR | 612HM-X SE, HS, HR | 422 HM-1 HSSL HRSL | 690 HM-1 SL HSSL HRSL | 493 HM-X SL HSSL HRSL

** Standard glass available in Satin Nickel only

MONTEREY



PRIVACY RATING

NONE | LOW | MED | **HIGH** | MAX

1. Micro-Granite Glass
2. Granite Glass
3. Clear Bevels
4. Patina Caming
5. Satin Nickel Caming

6'8" DOORS



684MO-1 SE, HS, HR | 684MO-1P SE, HS | 684MO-2 SE, HS, HR | 684MO-1F SE | 607MO-1 SE, HS, HR | 607MO-2 HS | 686MO-X SE, HS, HR | 866MO-1P SE | 866 MO-2F SE | 2217MO-2F HS HR

8'0" DOORS



SE-2217 MO-2F SE | SE-2217 MO-1F SE | SE-2217 MO-X SE | 461 MO-1 HSSL HRSL | 422 MO-1 SL HSSL HRSL | 690 MO-X SL HSSL HRSL



607MO-1 SE, HS, HR | 607MO-2 SE, HS, HR | 607MO-1F SE | 686MO-1 HS, HR | 422 MO-1 HSSL HRSL | 690 MO-1 SL HSSL HRSL

DOORGLASS DECORATIVE

NOUVEAU



PRIVACY RATING

NONE | **LOW** | MED | HIGH | MAX

1. Glue Chip Glass
2. Clear Bevels
3. Platinum Nickel Caming
4. Patina Caming

6'8" DOORS

684MN-1
SE, HS, HR

684MN-1P
SE, HS

684MN-2
SE, HS, HR



684MN-1F
SE

692MN-2
SE, HS, HR

607MN-1
SE, HS, HR

607MN-2
HS



686MN-X
SE, HS, HR

692
MN-1
SL
HSSL
HRSL

422
MN-1
SL
HSSL
HRSL



690
MN-X
SL
HSSL
HRSL

8'0" DOORS



607MN-1
SE, HS, HR



607MN-2
SE, HS, HR



607MN-1F
SE



686MN-1
HS, HR

422
MN-1
HSSL
HRSL

690
MN-1
SL
HSSL
HRSL

DOORGLASS DECORATIVE

 **Platinum nickel only

OAK PARK





66⅞ x 13⅞ | 62⅞ x 11⅞

PRIVACY RATING

NONE | **LOW** | MED | HIGH | MAX

1. Crinkle Glass
2. Thin Reed Glass
3. Clear Seedy Glass
4. Clear Bevels
5. Patina Caming

6'8" DOORS

684KP-1
SE, HS, HR

684KP-1P
SE, HS

684KP-2
SE, HS, HR



684KP-1F
SE



692KP-2
SE, HS, HR

607KP-1
SE, HS, HR

607KP-2
HS



686KP-X
SE, HS, HR

866KP-1P
SE

866KP-2F
SE

2217KP-2F
HS, HR



SE-2217
KP-2F
SE



SE-2217
KP-1F
SE



SE-2217
KP-X
SE

692
KP-1
SL
HSSL
HRSL

422
KP-1
SL
HSSL
HRSL

690
KP-X
SL
HSSL
HRSL

461
KP-1F
HSSL
HRSL

8'0" DOORS



607KP-1
SE, HS, HR



607KP-2
SE, HS, HR



607KP-1F
SE



686KP-1
HS, HR



612KP-X
SE, HS, HR

422
KP-1
HSSL
HRSL

690
KP-1
SL, HSSL,
HRSL

493
KP-X
SL, HSSL,
HRSL

DOORGLASS DECORATIVE

PARIS



PRIVACY RATING

NONE | LOW | **MED** | HIGH | MAX

1. Arctic Glass
2. Clear Renaissance Glass
3. Clear Bevels
4. Patina Caming

6'8" DOORS

684PS-1
SE, HS, HR

684PS-1P
SE, HS

684PS-2
SE, HS, HR

684PS-1F
SE

692PS-2
SE, HS, HR

607PS-1
SE, HS, HR

607PS-2
HS


686PS-X
SE, HS, HR

692
PS-1
SL
HSSL
HRSL

422
PS-1
SL
HSSL
HRSL

690
PS-X
SL
HSSL
HRSL

8'0" DOORS


607PS-1
SE, HS, HR


607PS-2
SE, HS, HR


607PS-1F
SE


686PS-1
HS, HR

612PS-X
SE, HS, HR

422
PS-1
HSSL
HRSL

493
PS-X
SL HSSL
HRSL

DOORGLASS DECORATIVE

TOPAZ



PRIVACY RATING

NONE | LOW | MED | HIGH | **MAX**

1. Bronze Seedy Glass
2. Thin Reed Glass
3. Micro-Granite Glass
4. Clear Bevels
5. Patina Caming

6'8" DOORS



684TPZ-1 SE, HS, HR | 684TPZ-1P SE, HS | 684TPZ-2 SE, HS, HR | 684TPZ-1F SE | 692TPZ-2 SE, HS, HR | 673TPZ-1 SE, HS | 673TPZ-1P SE, HS | 673TPZ-2 SE, HS | 607TPZ-1 SE, HS, HR | 607TPZ-2 HS

686TPZ-X SE, HS, HR | 866TPZ-1P SE | 866TPZ-2F SE | 2217TPZ-2F HS, HR | SE-2217 TPZ-2F SE | SE-2217 TPZ-1F SE | SE-2217 TPZ-X SE | 692 TPZ-1 SL HSSL HRSL | 422 TPZ-1 SL HSSL HRSL | 690 TPZ-X SL HSSL HRSL | 461 TPZ-1F HSSL HRSL

8'0" DOORS



607TPZ-1 SE, HS, HR | 607TPZ-2 SE, HS, HR | 607TPZ-1F SE | 686TPZ-1 HS, HR | 690 TPZ-1 SL, HSSL HRSL | 422 TPZ-1 SL, HSSL HRSL

VILANO



PRIVACY RATING

NONE | LOW | MED | **HIGH** | MAX

1. Gray Bubble Glass
2. Frosted Glass
3. Clear Bevels
4. Patina Caming

6'8" DOORS

684VLO-1
SE, HS, HR

684VLO-1P
SE, HS,

684VLO-2
SE, HS, HR

684VLO-1F
SE

692VLO-2
SE, HS, HR

607VLO-1
SE, HS, HR

607VLO-2
HS

686VLO-X
SE, HS, HR

2217VLO-2F
HS, HR

8'0" DOORS

692
VLO-1
SL, HSSL
HRSL

422
VLO-1
SL, HSSL
HRSL

690
VLO-X
SL, HSSL
HRSL

607VLO-1
SE, HS, HR

607VLO-2
SE, HS, HR



686VLO-1
HS, HR

612VLO-X
SE, HS, HR

422
VLO-1
HSSL
HRSL

690
VLO-1
SL, HSSL
HRSL

493
VLO-X
SL, HSSL
HRSL

WATERSIDE



PRIVACY RATING

NONE | LOW | MED | **HIGH** | MAX

1. Clear Soft Wave Glass
2. Streamed Glass
3. Black Chrome Caming

6'8" DOORS

684WTS-1
SE, HS, HR

684WTS-1P
SE, HS

684WTS-2
SE, HS, HR

684WTS-1F
SE



692WTS-2
SE, HS, HR

607WTS-1
SE, HS, HR

607WTS-2
HS

686WTS-X
SE, HS, HR

692
WTS-1
SL
HSSL
HRSL

422
WTS-1
SL
HSSL
HRSL

690
WTS-X
SL
HSSL
HRSL

8'0" DOORS

607WTS-1
SE, HS, HR

607WTS-2
SE, HS, HR



686WTS-1
HS, HR



612WTS-X
SE, HS, HR

422
WTS-1
HSSL
HRSL

493
WTS-X
SL, HSSL
HRSL

DOORGLASS DECORATIVE

LIGHTSCAPES COLLECTION
PRIVACY DOORGLASS

Allow nature to light your entryway while maintaining privacy with the Lightscapes Collection. Whether you prefer contemporary or traditional design, Lightscapes complements a wide variety of architecture and décor.

BLANCA



Silkscreen

PRIVACY RATING

NONE | LOW | MED | HIGH | **MAX**

6'8" DOORS



684BLC-1 SE, HS, HR | 684BLC-1P SE, HS | 684BLC-2 SE, HS, HR | 684BLC-1F SE | 692BLC-2 SE, HS, HR | 607BLC-1 SE, HS, HR | 607BLC-2 HS | 686BLC-X SE, HS, HR | 2217BLC-2F HS, HR

8'0" DOORS



692 BLC-1 SL, HSSL HRSL | 422 BLC-1 SL, HSSL HRSL | 690 BLC-X SL, HSSL HRSL | 461 BLC-1F HSSL HRSL | 607BLC-1 SE, HS, HR | 607BLC-2 SE, HS, HR | 686BLC-1 HS, HR | 612BLC-X SE, HS, HR | 422 BLC-1 HSSL HRSL | 690 BLC-1 SL HSSL HRSL | 493 BLC-X SL HSSL HRSL

PERSPECTIVES COLLECTION
TEXTURED DOORGLASS

ODL considered views and insights from around the world as we designed our Perspectives line of privacy glass. Each of Perspectives' styles brings a unique, understated approach to door glass design while providing textures and patterns that create privacy for your entryway. All our designs provide a dynamic and beautiful play of shadow and light.

CHINCHILLA

Texture exposed to inside of home

PRIVACY RATING

NONE | LOW | MED | **HIGH** | MAX

6'8" DOORS

684CHA-1 SE, HS, HR | 684CHA-1P SE, HS | 684CHA-2 SE, HS, HR | 684CHA-1F SE | 692CHA-2 SE, HS, HR | 607CHA-1 SE, HS, HR | 607CHA-2 HS | 686CHA-X SE, HS, HR | 2217CHA-2F HS, HR

8'0" DOORS



692 CHA-1 SL, HSSL HRSL | 422 CHA-1 SL, HSSL HRSL | 690 CHA-X SL, HSSL HRSL | 461 CHA-1F HSSL HRSL | 607CHA-1 SE, HS, HR | 607CHA-2 SE, HS, HR | 686CHA-1 HS, HR | 612CHA-X SE, HS, HR | 422 CHA-1 HSSL HRSL | 690 CHA-1 SL, HSSL HRSL | 493 CHA-X SL, HSSL HRSL

MICRO-GRANITE



Texture enclosed in glass

PRIVACY RATING

NONE | LOW | MED | HIGH | **MAX**

DOORGLASS PERSPECTIVES

6'8" DOORS

684MG-1 SE, HS, HR | 684MG-1P SE, HS | 684MG-2 SE, HS, HR | 684MG-1F SE | 692MG-2 SE, HS, HR | 607MG-1 SE, HS, HR | 607MG-2 HS | 686MG-X SE, HS, HR | 2217MG-2F HS, HR

8'0" DOORS

692 MG-1 SL, HSSL HRSL | 422 MG-1 SL, HSSL HRSL | 690 MG-X SL, HSSL HRSL | 461 MG-1F HSSL HRSL | 607MG-1 SE, HS, HR | 607MG-2 SE, HS, HR | 686MG-1 HS, HR | 612MG-X SE, HS, HR | 422 MG-1 HSSL HRSL | 690 MG-1 SL, HSSL HRSL | 493 MG-X SL, HSSL HRSL

RAIN



Texture enclosed in glass

PRIVACY RATING

NONE | LOW | **MED** | HIGH | MAX

6'8" DOORS

684RN-1 SE, HS, HR | 684RN-1P SE, HS | 684RN-2 SE, HS, HR | 684RN-1F SE | 692RN-2 SE, HS, HR | 607RN-1 SE, HS, HR | 607RN-2 HS | 686RN-X SE, HS, HR | 2217RN-2F HS, HR

8'0" DOORS

692 RN-1 SL, HSSL HRSL | 422 RN-1 SL, HSSL HRSL | 690 RN-X SL, HSSL HRSL | 461 RN-1F HSSL HRSL | 607RN-1 SE, HS, HR | 607RN-2 SE, HS, HR | 686RN-1 HS, HR | 612RN-X SE, HS, HR | 422 RN-1 HSSL HRSL | 690 RN-1 SL, HSSL HRSL | 493 RN-X SL, HSSL HRSL

VAPOR



Texture exposed to inside of home

PRIVACY RATING

NONE | **LOW** | MED | HIGH | MAX

6'8" DOORS



684VPR-1 SE, HS, HR | 684VPR-1P SE, HS | 684VPR-2 SE, HS, HR | 684VPR-1F SE | 692VPR-2 SE, HS, HR | 607VPR-1 SE, HS, HR | 607VPR-2 HS | 686VPR-X SE, HS, HR | 2217VPR-2F HS, HR

8'0" DOORS

692 VPR-1 SL, HSSL HRSL | 422 VPR-1 SL, HSSL HRSL | 690 VPR-X SL, HSSL HRSL | 607VPR-1 SE, HS, HR | 607VPR-2 SE, HS, HR | 686VPR-1 HS, HR | 612VPR-X SE, HS, HR | 422 VPR-1 HSSL HRSL | 690 VPR-1 SL, HSSL HRSL | 493 VPR-X SL, HSSL HRSL

DOORGLASS PERSPECTIVES

CLEAR GLASS

DOORGLASS CLEAR GLASS



412-X
SE, HS



696-X
SE, HS

659-4
SE, HS

648-4
SE, HS



672-X
2/6 X 6/8
SE



684-X
SE, HS

672-2
2/6 X 6/8
SE, HS

684-2
SE, HS, HR

684-1
SE, HS, HR

684-1P
SE, HS

692-2
SE, HS, HR

607-1
SE, HS, HR

607-2
HS

673-1
SE, HS

673-1P
SE, HS

673-2
SE, HS

680-4
SE, HS

624-X
SE

687-X
SE, HS

686-X
SE, HS, HR

692-1
SL, HSSL
HRSL

690-X
SL, HSSL
HRSL

422-1
SL, HSSL
HRSL

684-1F
SE

866-2F
SE

2217-2F
HS, HR

2217-2F
SE

2217-1F
SE



2217-X
SE

8'0" DOORS

607-1
SE, HS, HR

607-2
SE, HS, HR

607-1F
SE

686-1
HS, HR

487-X
SE

496-X
SE, HS

612-X
SE, HS, HR

493-X
SL
HSSL
HRSL

422-1
HSSL
HRSL

690-1
SL
HSSL
HRSL

613-X
SE, HS

643-X
SE, HS

614-X
SE, HS

474-X
SL
HSSL

CLEAR GLASS

LOW-E 366

648LE-4
SE, HS

672LE-2
2/6 X 6/8
SE, HS

684LE-1
SE, HS, HR

684LE-1P
SE, HS

684LE-2
SE, HS, HR

692LE-2
SE, HS, HR

607LE-1
SE, HS, HR

607LE-2
HS

866LE-1P
SE

866LE-2F
SE

2217LE-2F
HS, HR

673LE-1
SE, HS

673LE-1P
SE, HS

673LE-2
SE, HS

624LE-X
SE

687LE-X
SE, HS

686LE-X
SE, HS, HR

692
LE-1
SL, HSSL
HRSL

690
LE-X
SL, HSSL
HRSL

422
LE-1
SL, HSSL
HRSL


461
LE-1F
HSSL
HRSL

684LE-1F
SE

2217LE-2F
SE

2217LE-1F
SE

2217LE-X
SE

8'0" DOORS

607LE-1
SE, HS, HR

607LE-2
SE, HS, HR

607LE-1F
SE

686LE-1
HS, HR

487LE-X
SE

496LE-X
SE, HS

612LE-X
SE, HS, HR

422
LE-1
HSSL
HRSL

493
LE-X
SL, HSSL
HRSL

690
LE-1
SL, HSSL
HRSL

EXTERNAL GRILLES

Clear

664-4
SE, HS

224-4
SE, HS

660-4
SE, HS

626-4
SE, HS

658-4
SE, HS

670-2
2/6 X 6/8
SE, HS

681-2
SE, HS

610-1
SE, HS

627-X
2/6 X 6/8
SE, HS

689-X
SE, HS

693-1
SL
HSSL

691-X
SL
HSSL

423-1
SL
HSSL

GRILLES BETWEEN GLASS

Black

White

672-9LT-2
2/6 X 6/8
SE, HS

684-4LT-1
SE, HS, HR

684-4LT-1P
SE, HS

684-4LT-2
SE, HS, HR

659-5LT-4
SE, HS

684-9LT-1
SE, HS, HR

684-9LT-1P
SE, HS

684-9LT-2
SE, HS, HR

607-4LT-1
SE, HS, HR

607-6LT-1
SE, HS, HR

607-8LT-1
SE, HS, HR

607-12LT-1
SE, HS, HR

607-4LT-2
HS

607-6LT-2
HS

607-8LT-2
HS

607-12LT-2
HS

686-4LT-X
SE, HS, HR

686-6LT-X
SE, HS, HR

686-8LT-X
SE, HS, HR

686-10LT-X
SE, HS, HR

686-15LT-X
SE, HS, HR

2217-3LT-2F
HS

2217-6LT-2F
HS

684-4LT-1F
SE

866-6LT-2F
SE

692-2LT-2
SE, HS, HR

692-3LT-2
SE, HS, HR

692-
2LT-1
SL, HSSL
HRSL

692-
3LT-1
SL, HSSL
HRSL

422-
2LT-1
SL, HSSL
HRSL

422-
3LT-1
SL, HSSL
HRSL

422-
4LT-1
SL, HSSL
HRSL

690-
5LT-X
SL, HSSL
HRSL

Black ■ BLK
White □ WHT

DOORGLASS GRILLES BETWEEN GLASS

GRILLES BETWEEN GLASS

8'0" DOORS

607-4LT-1

607-4LT-2

607-6LT-1

607-6LT-2

607-8LT-1


607-8LT-2

607-12LT-1

607-12LT-2

607-4LT-1F SE

607-6LT-1F SE

607-8LT-1F SE

607-12LT-1F SE

686-4LT-1 HS, HR

686-6LT-1 HS, HR

686-8LT-1 HS, HR

686-10LT-1 HS, HR

686-15LT-1 HS, HR

487-12LT-X SE

496-12LT-X SE

496-18LT-X SE

612-12LT-X SE, HS, HR

612-18LT-X SE, HS, HR

422-2LT-1 HSSL HRSL

422-3LT-1 HSSL HRSL

422-4LT-1 HSSL HRSL

690-5LT-1 SL HSSL HRSL

493-6LT-X SL HSSL HRSL

Black BLK
White WHT

DOORGLASS GRILLES BETWEEN GLASS

BLINDS + GLASS

DOORGLASS ENCLOSED BLINDS

684WBL-1
SE, HS

684WBL-1P
SE, HS

684WBL-2
SE, HS

684WBL-1F
SE

686WBL-X
SE, HS

607-WBL-1
SE, HS

607-WBL-2
HS

692-WBL-1
SL
HSSL

690WBL-X
SL
HSSL

VENTS

799VL-1
SE, HS

799VL-1P
SE, HS

799VL-2
SE, HS

799VL-1F
SE

DOORGLASS FRAMES

For nearly 80 years, ODL has been manufacturing top-rated doorglass framing systems, and we offer the widest array of doorglass frame styles, colors and materials in the industry to meet specific needs.

INNOVATION

ODL continues to reframe innovation and design with ZEEL®, a sleek, versatile frame that eliminates the need for screws and screw hole covers with an innovative clip system. Resolve® Sealant eliminates messy wet glaze and won't degrade over time.

DESIGN

Whether you choose to highlight a specific architectural style with our Spotlights® line or want the sleek, minimal look of ZEEL, ODL has the right frame to complement your design choice - classic craftsman or contemporary or somewhere inbetween.

PERFORMANCE

Rigorous third-party testing assures that product performance meets design intent. ODL frames are tested to meet and exceed the North American Fenestration Standard (NAFS) for doors, including structural integrity, resistance to water penetration, air leakage and forced entry.

Feature / Benefit	Standard Oak	Standard White	EVOLVE® Oak	EVOLVE® White	ZEEL®	Craftsman Mahogany/ Oak	Craftsman White	EVOLVE® SDL Oak/ White
Frame Material	FiberPRO®	HP	FiberPRO	HP	FiberMate Plus®	FiberMate	HP	FiberMate®
Compression seal/ no squeeze out			■	■	■			■
Designed to reduce scalloping			■		■	■		■
Best defense against air/water infiltration			■	■	■			■
No screw plugs					■			
Easy-install screw plugs			■	■		■	■	
Paints without adhesion promoter	■		■		■	■		■
Stainable	■		■		■	■		■
No finishing required		■		■			■	
Impact-rated for FL and TX hurricane zones								
Flat Profile					■	■	■	

WE MAKE YOUR LIFE BETTER®

AVOID COMMON PROBLEMS such as squeeze out, corner flare and yellowing by choosing the right frame for your doorglass. Our excellent customer service team can help you select the frame that's right for your home.

BASIC

STANDARD
Available in Oak or White

PERFORMANCE

EVOLVE®
with Resolve® Sealant
Available in Oak or White

PREMIUM

ZEEL®
with Resolve® Sealant
Available in White

SPECIALTY

CRAFTSMAN
Available in Mahogany,
Oak or White

EVOLVE SDL
Available in Oak or White

SQUEEZE OUT

CORNER FLAIR

FRAME YELLOWING

DOORGLASS FRAMES

FRONTLINE® BLDG. PRODUCTS INC.

Drexel™ MILLWORK & DOORS

Fit & Finish
Fit & Finish that will last a Lifetime.
NO MORE PAINTING!

Jamb/Mull Cover
Durable, no-rot jamb covers. No chipping, no peeling, no cracking.

Nail Fin
Traditional fenestration installation and waterproofing.

Transoms
Clear and decorative glass in all shapes: rectangle, round top, elliptical, and springline.



SDL
Aluminum SDL Bars add design and curb appeal to any door system. They won't warp or move in hot or cold climates.



Brickmould & Crownline
Traditional & Contemporary Design.

Outswing Clad

Brickmould

Crownline

VINYL NAILING FLANGE

Crownline

Brickmould

RETRO ALUMINUM NAILING FLANGE

FrontLine® Bldg. Products Inc.
Member of the Bay Family of Companies

PRO-SERIES GARAGE DOOR FRAME

THE LIFETIME SOLUTION TO PREFINISHED AND MAINTENANCE-FREE GARAGE DOOR FRAMES

45º Clipped Corner



90° & 45° FRAMES | FEATURES:

- Easy installation - Five minutes to assemble, twenty minutes to install
- Available with 90° square or 45° clipped corners
- .062 (16 gauge) extruded aluminum for strength and durability - with composite insert
- Heavy-duty steel corner gussets for perfectly mitered corners
- No wood in frames means no rot, no water wicking, no warping, and no bug infestation

Arch Top Garage Door Frame

FEATURES:

- Header arch and side jambs are all-aluminum - no wood
- Heavy-duty steel corner gussets
- 10" arch rise standard, 12" arch rise available

ULTIMATE SERIES GARAGE DOOR FRAME

90° & 45° FRAMES | FEATURES:

- Available with 90° square or 45° clipped corners
- .062 (16 gauge) extruded aluminum for strength and durability
- Available with brickmould, crownline, or 3-1/2" flat casing.
- J-mould available for crownline and flat casing
- 1 piece jamb coverage up to 7-1/2", greater than 7-1/2" will be 2 pieces.
- Matches the FrontLine® Entry Door for both entry and patio door frames while also complimenting all window frame systems available in market.
- Limited Lifetime Warranty

SIZES AND COLORS

- Any width up to 18' and height up to 18' available.

1 piece jamb available in White, Black, Bronze, Sandstone, and Terratone up to 7-1/2"

Jamb Cover

3-1/2" Flat Casing

Crownline Nosing

J-Mould

Standard Kit Components

PanoLock®+ is the first and only multi-point lock that works with a variety of off-the-shelf hardware, including smart locks. That's affordable security + performance for every entry and patio door.



Multi-point locks for entry and patio doors deliver increased performance and enhanced security. But, use of multi-point locks has been limited due to high cost, difficult installation and operation, and hardware restrictions. Not so with PanoLock®+.

DRIVEN TO BETTER –
A BETTER MULTI-POINT LOCK.
An innovative system of adapters lets PanoLock®+ work with a wide variety of off-the-shelf hardware, including electronic deadbolts. Brands like Schlage®, Kwikset®, and more. A simple turn of the deadbolt operates both tapered bolts smoothly. The handle-set operates the handleset latch. Three points of secure contact. PanoLock+ is easy to live with, even after years of use.



EASY TO OPERATE. EASY TO LIVE WITH.

A. Tapered bolt. Unlike other locks that tend to catch, PanoLock+'s tapered bolts engage easily with roller strikes, even when the door is out of alignment.

B. Adjustable roller strike. Rollers lower operating force allowing the tapered bolt to gently snug the door panel against the weatherstrip.



Built to last – advanced all-composite substrates, synthetic caps and nosing mean no rotting, warping or deterioration over time. A dual durometer cap seal overlaps the high dam. Both combine to provide a barrier to air and moisture even in the most extreme weather conditions. Because of the narrow threshold cap, the drip edge on the door bottom detects water a full 1/4" in front of the cap, protecting against air and water infiltration.



Sealed adjustment screws. Sealing plugs keep water and dirt away from the adjustment mechanism, maintaining

No more air and water infiltration. No rotting, warping or deterioration either. Proven in the field – Z Series Adjustable Sills deliver reliable performance.

Z-Articulating Cap Sill® (Z-AC®) is the only composite sill that never needs adjustment. Z-AC ends performance issues and service calls.

DRIVEN TO BETTER – A BETTER SILL CAP.

Z-AC®'s spring-loaded cap never needs adjustment.

The spring-loaded cap adjusts up or down to form a tight, lasting seal even if door conditions change over time. Z-AC eliminates extra installation steps and saves labor. Constant, automatic sealing puts an end to service calls, saving more time and money.





Z-AC's unique articulating cap (2) adjusts independently, up or down, ± 1/8" along the width of the opening to form a consistent, tight seal with the Z-AC Door Bottom (1).

Backed by the industry's highest ratings for structural and forced entry performance Trilennium delivers 3x the strength, 3x the security and 3x the performance with one multi-point locking system. Plus, with Trilennium, unmatched protection doesn't have to mean compromised style. Trilennium offers a portfolio of handset designs to suit any taste and budget.



One turn of the key or thumbturn engages all three bolts for perfect alignment and added performance. Trilennium's even strengthens the door panel. working with your system components to seal out air, water, insects – and more dangerous intruders.

Protect your home. Preserve your style. Excellence in style, quality, protection, and peace of mind – with the power of three full deadbolts.

The rot-proof wood door frame solution backed by a fully-transferable lifetime limited warranty. With a proven record of quality, durability and performance, you can't go wrong the original FrameSaver®.

DRIVEN TO BETTER – A BETTER DOOR FRAME.

Building a lasting door requires a tough, tested frame. That's why the industry has trusted FrameSaver® for the past 15 years. FrameSaver is the original rot-proof wood door frame solution that's backed by a fully-transferable lifetime limited warranty – though you won't need it. FrameSaver's finger-jointed wood composite protects the base of the frame from moisture exposure, and thus prevents water from wicking into the wood. Rot never has a chance.

FrameSaver's patented composite bottom won't absorb water, warp, crack or rot. FrameSaver finishes and paints just like wood.

Drexel™
MILLWORK & DOORS

Visit us at:
drexelteam.com

ODL®

223383 (1/24)